

# Deep Recess

## Downlight Family



### **Deep Recessed light source, reduced glare**

Ankur's Round Deep Downlight Casings are the best way to complement your lighting solutions. It provides added resilience and durability and is the ultimate option for Ankur's premium lamps such as the GU10 LED Lamp and the ZR LED Module Lamp. This excellent downlight casing has been fashioned with high quality aluminium, which makes for easy maintenance as well.

# THREE SIZES

WITH SIMILAR PROPERTIES



## 6332 Downlight

### **Aluminium Body**

Aluminium body for better heat dissipation



### **Design of Deep Anti Glare**

High quality COB chip, provides long life



### **Available Lamp Sizes**

Module lamps are design to fit easily  
in the casing

**Available Lamp Wattage: 8W, 15W**



First insert jacket part  
then place lamp inside it



Easy to install or uninstall without  
damaging the ceiling.





## 6333 Tilttable Downlight



Ankur's Round Deep Adjustable MR16 Downlight Casing greatly helps our lamps deliver on their promise of high quality and efficient lighting. The casing has been crafted with a view to expertly shield Ankur's GU10 LED Lamp and Ankur ZR LED Module Lamp from most wear and tear and thus promotes longevity. Being tilttable, it also provides a high degree of convenience.



**Wattage: 8W**


**Wattage: 15W**



Rotates and it gets locked inside Jacket




Easy to install or uninstall without damaging the ceiling.





## 9312 Downlight



A minimalist's delight, this recessed downlight in a stunning black and white finish is great for urban homes. Adding a touch of luxury and muted tones to your home, this light works incredibly well with both low and high ceilings and in spaces that do not get natural light such as rooms in the centre of the house.


Whether it's your kitchen that needs to be better lit or a walkway where you want to be in the spotlight, this recessed downlight is versatile like your home.






## INSTALLATION STEPS

### STEP: 1




- Mark the location of light, and cut a hole of 73mm diameter

### STEP: 2




- First we need to insert the jacket part into the ceiling

### STEP: 3



- Connect the wires to the driver
- Press the side clamps inward and place the light inside the jacket

### STEP: 4



- Turn on the power switch
- Installation is completed, light is ready to use



## ANKUR XRL - HG - IP/6333L

Wattage: As per lamp  
CCT: 3000K / 4000K / 6500K  
Material: aluminium  
Rotates: Fixed  
Spot head adjust: Fixed

Lamp: Module lamp

Size: Ø: 95mm H: 115mm  
Cutout: Ø 85mm

Available color:




WH



BK



SV



## ANKUR XRL - HG - IP/6332L

Wattage: As per lamp  
CCT: 3000K / 4000K / 6500K  
Material: aluminium  
Rotates: Fixed  
Spot head adjust: Fixed

Lamp: Module lamp

Size: Ø: 77mm H: 115mm  
Cutout: Ø 73mm

Available color:




WH



BK



SV



## ANKUR XRL LED IP/9312

Wattage: 6W  
CCT: 3000K / 4000K / 6500K  
Material: aluminium  
Rotates: Fixed  
Spot headadjust: Fixed

Lamp: COB

Size: Ø: 62mm H: 72mm  
Cutout: Ø 56mm

Available color:



WH



BK



SV

