



# Balino

## Outdoor series



To set your restaurants or business a class apart, add our signature Ankur Balino Outdoor Burial Light. Our burial lights are made to give your porch, backyard or entrance a classic look. This lighting is the first thing that your guests look at, it acts as an attention grabber and a conversation starter.

The lights are built with the strongest and most long-lasting materials so that they stay durable and illuminate your wonderful space.






The whole series products using COB LED, which is suitable for outdoor lawn lighting and landscape lighting.  
The light has pre Aluminium Alloy oxidation treatments, durable with sophisticated technology.







LED In-ground is designed for floor integration and offers various design possibilities in architectural illumination.






HONEY COMB LOUVER FOR  
ANTI-GLARE AND SOFT LIGHT.






- A simplicity of wider angle Adjustment according to the environment require to adjust the angle of light .
- IP classification IP67 for outdoor use.






The light has dual performance as it can be fixed or can be tilted to focus the target object.





It plays a crucial role in brightening up and highlighting the exterior architecture of your home or office. Strategically done outdoor lighting can give a whole new look to your facade and make your porch, patio, landscape area more attractive. Not just for decorative purpose, outdoor lights are important for security purposes also to illuminate the dark areas of your home at night.

## ANKUR XOL LED- IP/717 9W



Material: Pure aluminium alloy or dia cast aluminium alloy shell.

Rotates: fixed

Spot head adjust: fixed

Lamp: COB 1x9W  
3000K / 4000K / 6000K  
CRI 80/90


Reflector angle: 14°, 24°, 36°, 60°

AC220V ~50/60Hz

Size: ø:80mm

L:140mm


Cutout: ø:60mm



Available color:



## ANKUR XOL LED- IP/717 6W



Material: Pure aluminium alloy or dia cast aluminium alloy shell.

Rotates: fixed

Spot head adjust: fixed

Lamp: COB 1x6W  
3000K / 4000K / 6000K  
CRI 80/90


Reflector angle: 14°, 24°, 36°, 60°

AC220V ~50/60Hz

Size: ø:78mm

L:65mm


Cutout: ø:60mm



Available color:



## ANKUR XOL LED- IP/717 9W



Material: Pure aluminium alloy or dia cast aluminium alloy shell.

Rotates: fixed

Spot head adjust: fixed

Lamp: COB 1x9W  
3000K / 4000K / 6000K  
CRI 80/90


Reflector angle: 14°, 24°, 36°, 60°

AC220V ~50/60Hz

Size: ø:80mm

L:140mm


Cutout: ø:60mm



Available color:




## ANKUR XOL LED-IP/718 18W



Material: Pure aluminium alloy or dia cast aluminium alloy shell.  
 Rotates: fixed  
 Spot head adjust: fixed


Lamp: COB 1x18W  
 3000K / 4000K / 6000K  
 CRI 80/90  
 Reflector angle: 14°, 24°, 36°, 60°  
 AC220V ~50/60Hz  
 Size: ø:125mm  
 L:130mm  
 Cutout: ø:95mm



Available color:




## ANKUR XOL LED- IP/718 20W



Material: Pure aluminium alloy or dia cast aluminium alloy shell.  
 Rotates: fixed  
 Spot head adjust: fixed


Lamp: COB 1x20W  
 3000K / 4000K / 6000K  
 CRI 80/90  
 Reflector angle: 14°, 24°, 36°, 60°  
 AC220V ~50/60Hz  
 Size: ø:125mm  
 L:130mm  
 Cutout: ø:95mm



Available color:




Beam Angle 14°



Beam Angle 24°



Beam Angle 36°



Beam Angle 60°

