


CUBIC

SQUARE SURFACE

MOUNTED



Aesthetically designed Surface mounted Square CUBIC lights with pressure die-cast aluminium housing having effective heat sink for better thermal. Equipped with Anti-glare UV Stabilized poly carbonate diffuser in white powder coated finish with energy efficient electronic driver with 2.5 KVA surge protection driver. Deliver overall excellent illumination & comfort in high ceiling areas with no harmful UV & IR radiations .



Product features

- Stylish design, more elegant and cost saving.
- Good heat dissipation performance (Aluminium).
- No UV Radiation, no glaring.
- Save more electricity cost, easy installation.
- Unique optical design, no light pollution, uniform light field.
- Strict raw material inspection, testings comply with international standards.
- 50,000 hours lifespan, 10 times longer than traditional lamp.
- High quality driver.





Applications

Airport, Bathroom, Bedroom, Car Park, Cinema, Gallery, Garage, Hospital, Hotel, Kitchen, Meeting Room, Museum, Office, Restaurant, School, Shopping Mall, Sitting Room etc.

Available colors






Available Sizes



BIG-IP/9126 15W



SMALL-IP/9239 6W



Multi - Purpose



Excellent

High performance COB
and high CRI.

Can be converted into
pendant light.






ANKUR XSL - LED - IP/9239 6W SURFACE

Wattage: 6W
CCT: 3000K / 4000K / 6500K
Material: aluminium
Rotates: Fixed
Spot headadjust: Fixed

Lamp: 1x COB
Reflector angle: 14°/24°/36°/60°
Size: L: 50mm B: 50mm H: 75mm




Available color:



ANKUR XSL - LED - IP/9126 15W SURFACE

Wattage: 15W
CCT: 3000K / 4000K / 6500K
Material: aluminium
Rotates: Fixed
Spot headadjust: Fixed

Lamp: 1x COB
Reflector angle: 14°/24°/36°/60°
Size: L: 75mm B: 75mm H: 100mm




Available color:



ANKUR XHL - LED - IP/9126 15W WITH HANGING SYSTEM

ACCESSORIES



BRAIDED WIRE